



UNITED ASPHALT PRIMER

Description and Specs:

United Asphalt Primer is a light brush consistency paint-like product made from selected high asphalts and petroleum solvents. It adheres well to a variety of surfaces and dries to the touch in 4 to 24 hours. Meets ASTM D41 and Federal Spec SS-A-701B. **(Asbestos Free)**

Uses:

Used to prepare all types of surfaces prior to any asphalt application, United Asphalt Primer can be used on masonry, brick, concrete and gypsum. Priming metal surfaces with Primer is recommended by most modified manufacturers before APP or SBS installation, (consult manufacturers guidelines). United Asphalt Primer can also be used to revitalize old dried out roofing felt. It is recommended to prime all surfaces prior to any aluminum coating application to achieve maximum performance.

Method and Rate of Application:

Apply to a dry, dirt and oil free surface with a brush roller or spray gun. Asphalt, masonry and old built-up surfaces should be applied at a rate of at least 1 gallon per 100 sq. ft. Metal surfaces can be applied at 1/2 to 3/4 gallon per 100 sq. ft. Take notice to coat evenly and thoroughly to ensure an effective bond is obtained for the overlaying products.

Safety:

CAUTION! COMBUSTIBLE! KEEP OUT OF REACH OF CHILDREN. Keep away from heat and flame. Do not heat container or store at temperatures greater the 110° F. Avoid breathing fumes and prolonged contact with skin.

DANGER! HARMFUL OR FATAL IF SWALLOWED! If **swallowed**, do not induce vomiting. CALL A PHYSICIAN IMMEDIATELY! When cleaning up, dispose of cans, rags and trowels in accordance with local laws. Keep container closed when not in use to avoid spills.

Container Sizes:

5 gallon	41 lbs.
55 gallon	475 lbs.

Clean-up:

Remove product from tools, etc., with kerosene or mineral spirits. Clean hands with a waterless hand cleaner.

United Asphalt Company
237 North Grove Street Williamstown Junction, NJ 08009
PO Box 291 Cedar Brook NJ
856-753-9811 • 800-843-0317 • FX: 856-753-9809
www.unitedasphalt.com